Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6996	(crossbar crossbeam (cross near3 (beam bar))) near3 (plurality two second three four many several multipl$4 couple double pair another).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:09
L2	2502	1 and (movable rotat$4 pivot$4) near3 (support$4 base frame mount$4 beam bar rod).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:15
L3	1284	2 and (parallel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:21
L4	5	3 and (deflect$4 bending) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:21
L5	292	2 and (crossbar crossbeam (cross near3 (beam bar rod))) near3 (parallel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:04
L6	2	5 and (deflect$4 bend$4) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:06
L7	5	5 and (deflect$4 bend$4) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:11
L8	74	"3,785,743" "5,287,820" "4,342,397" "4,607,531" "3,182,495" "6,166,336"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:09
L9	5	8 and (crossbar crossbeam (cross near3 (beam bar))) near3 (plurality two second three four many several multipl$4 couple double pair another).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:13

L10		1	9 and (deflect$4 bend$4) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:12
L11		3	9 and (deflect$4 bend$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:13
L12		4	"3785743"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:12
L13		9	8 and (crossbar crossbeam (cross near3 (beam bar))) near3 (plurality two second three four many several multipl$4 couple double pair another)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:13
L14		5	13 and (deflect$4 bend$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:14
L15		9	8 and (deflect$4 bend$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:14
L16		7	15 and (movable rotat$4 pivot$4) near3 (support$4 base frame mount$4 beam bar rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:16
L17		0	4 and (laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:19
L18		0	4 and (metal$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:20
L19		1969	2 and (position$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:20

L20	1034	19 and (parallel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:21
L21	5	20 and (deflect$4 bending) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:26
L22	9	20 and (deflect$4 bend$4 flex$5) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:22
L23	34	20 and (deflect$4 bend$4 flex$5) near3 (measur$4 detect$4 sens$4 determin$4 transducer monitor$4 gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/31 12:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	6294	(crossbar crossbeam (cross near2 (beam bar))) near3 (plurality two second three four many several multipl$5 couple double pair another).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 09:46
L16	1827	15 and (movable rotat$5 pivot$5) near3 (support base frame stud beam bar rod).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 09:46
L17	221	16 and (crossbar crossbeam (cross near2 (beam bar))) near3 (parallel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 09:47
L18	1	17 and (deflection bending) near3 (measur$5 test$4 detect$4 determin$4 sens$4 identi$6 evaluat$5 estimat$5 transducer gauge cell monitor$4 comput$5 inspect$5 meter calculat$4).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/31 09:49
L19	5	16 and (deflection bending) near3 (measur$5 test$4 detect$4 determin$4 sens$4 identi$6 evaluat$5 estimat$5 transducer gauge cell monitor$4 comput$5 inspect$5 meter calculat$4).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/01/31 09:50